Observing the Evolution of Typhoon Wakes

Steven R. Jayne
Woods Hole Oceanographic Institution
MS 29, Clark 209A
Woods Hole, MA 02543-1541

phone: (508) 289-3520 fax: (508) 457-2163 email: sjayne@whoi.edu

Award Number: N000140810614 http://catalog.eol.ucar.edu/itop_2010/

LONG-TERM GOALS

The long-term goal of this work is to observe, understand, quantify and parameterize upper-ocean mixing for use in global ocean modeling.

OBJECTIVES

The objective of our research program is to observe the temporal and spatial evolution of typhoon cold wakes, in particular we directly observed the mixing associated with turbulence generated by the strong air-sea interaction in a typhoon. These observations will be used to make quantifiable assessments of mixed layer models under the extreme conditions of a typhoon. We also observed the restratification of the cold wake from air-sea fluxes and lateral mixing by sub-mesoscale eddies.

APPROACH

We made these observations from a ship-based survey of the evolution of the typhoon cold wake that was undertaken to observe the restratification and collapse of the wake after the passage of a typhoon in the Western Pacific Ocean. The cold wake survey utilized a towed profiling sensor and a tethered turbulence package. Also, we utilized by newly developed Seagliders with microstructure sensors to examine the structure of the coldwake.

WORK COMPLETED

The planning of the observational field program was the focus of the work completed until this past year, with several meetings of the Impact of Typhoons On the Pacific (ITOP) and Tropical Cyclones Study 2010 (TCS2010) investigators haven taken place. The integration and testing of microstructure sensors on the gliders was also completed. This year we completed the observational phase of the program. Daily teleconferences between ITOP and TCS2010 investigators lead to the decision to conduct the cold wake survey cruise in Typhoon Fanapi. All of the observational assets were marshaled, and a successful cruise was undertaken to sample the cold wake.

Public reporting burden for the coll maintaining the data needed, and co- including suggestions for reducing VA 22202-4302. Respondents shot does not display a currently valid C	ompleting and reviewing the collect this burden, to Washington Headqu ıld be aware that notwithstanding an	tion of information. Send comment larters Services, Directorate for Inf	s regarding this burden estimate formation Operations and Reports	or any other aspect of the property of the contract of the con	his collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 30 SEP 2011	2. DEPORT TYPE			3. DATES COVERED 00-00-2011 to 00-00-2011		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
Observing the Evol		5b. GRANT NUMBER				
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Woods Hole Oceanographic Institution,MS 29, Clark 209A,Woods Hole ,MA,02543-1541				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAIL Approved for public		ion unlimited				
13. SUPPLEMENTARY NO	TES					
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON		
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	3	RESI CHSIDEE I ERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188

RESULTS

The observational field program was completed this fiscal year. After waiting for a typhoon of sufficient size and intensity to form, the decision was made sample Typhoon Fanapi. The R/V Revelle got underway the full science party just 1 day after Fanapi passed over Taiwan.




Figure 1 shows the cruise track of the cold wake cruise overlaid on top of the sea surface temperature difference between pre-Fanapi period (September 13-15, 2010) and the post-Fanapi period (September 19-21, 2010).




Figure 2 shows the vertical cross-section of the first crossing of the cold wake with temperature in the lefthand panel, and salinity on the right. They show the mixing of the water from below the mixed layer upwards by the strong mixing during the typhoon.

IMPACT/APPLICATIONS

The technical problem of integrating and testing microstructure sensors on gliders was implemented, and the field program offered an excellent opportunity for using these technical developments to study an important scientific problem while providing a new measurement capability to the oceanographic community. These novel observations are now being analyzed.

RELATED PROJECTS

Related to this project is my work in understanding and parameterizing mixing in global ocean models, such as the Community Earth System Model (http://www.cesm.ucar.edu/), and an NSF funded Climate Process Team on the same subject (http://www-pord.ucsd.edu/~jen/cpt/).